MICR DIS COMPETENCE & RELIABILITY

MICRODIS ELECTRONICS



Leading in Eastern Europe as

- Independent, Technical broadline distributor of electronic components
- Logistic and service provider
- Always reliable business partner



GROUP STRATEGY Pan East European sales network



Local & professional support

- Microdis companies located across Eastern Europe
- Over 35 years of experience and built up trust on the market



MICRODIS BUSINESS MODEL

Sales strategy



Technical distribution

Franchise distribution of selected manufacturers Competent application & design-in support Extensively trained Application Engineers

One stop shop

Comprehensive portfolio with millions of components Reliable source for mass production, as well as for few pieces prototyping and R&D

MICRODIS BUSINESS MODEL

Services



Added value services

- Dedicated web for Epson programming service
- Harness making
- Online ordering and access to components base
- Logistic know-how

Reliability

- AEO and ISO 9001:2015 certificates
- Carefully selected business partners
- Over 35 years of cooperation with customers and suppliers

PORTFOLIO











GNSS RECEIVERS



GNSS receivers



u-blox state of the art GNSS receivers

- Benchmark for GNSS performance
- u-blox expertise
 - Own chipsets, algorithms, modules
 - In-depth support
 - Developed for professional market
 - No dependency on external suppliers Product life cycle under u-blox control (EOL)
- · Form factor policy
- Built-in security
- Zero defect strategy
- Modules qualified for in-vehicle use (AEC-Q104 subset), produced according to ISO 9001
- Assisted GNSS service











S

Ś


WIRELE

GNSS receivers

Standard Precision

u-blox M8 / M9 / M10 / F10

- Up to 4 GNSS systems used in parallel
- High performance modules for small antennas
- · Cost and size efficient portfolio
- Dual band L1, L5 versions to mitigate reflections
- High Accuracy: 1m / 1.5m*
- Low Power: 3mW (1Hz)
- Up to 25Hz update rate
- Examples of features:
 - Super-S precision enhancement
 - Spoofing & Jamming protection
 - Odometer, Arm Swing compensation
 - Protection level (95% confidence about the position)
- Same form factors across families and technologies:
 - Standard/High Precision, Dead Reckoning, Timing



Chiox

SAM-MBO

MAX-MS

10.1x9.7x2.5 mm



NEO 12.2x16mmx2.4 mm



SAM CA 15.5x15.5x6.3 mm 9.0 Performance optimized Mi antenna module bu

CAM 9.6x14x1.95 mm Miniature GNSS with built-in antenna



ZED 17.0x22.0x2.4 mm





GNSS receivers Dead Reckoning

Modules with built-in sensors (IMU)

- Higher precision in urban scenarios with reflections
- Navigation without sky view (tunnel, parking)
- Up to 50Hz position update

UDR - Untethered Dead Reckoning mode


plug&play, simple integration

ADR - Automotive Dead Reckoning mode

wheel tick over HW pulses or CAN

ADR+RTK – Automotive DR with RTK corrections

decimetre level accuracy (lane accurate positioning)







WIRELESS

GNSS receivers

High Precision & Timing



High Precision with RTK corrections

- L1/L2, L1/L5 and All-bands receivers (L1, L2, L5, L6, L-band)
- Position accuracy up to 1cm
- Heading accuracy up to 0.3deg^{*}
- Corrections: local, network, satellite

*baseline length 1.75m



Timing & Frequency receivers

- · Time synchronization and measurement
- Nanosecond-level accuracy
- Meets 5G network requirements (2.5ns)
- CVTT (Common View Time Transfer)
 Differential timing







Telecom

Energy

Finance








CELLULAR AND SATELLITE IOT





Cellular portfolio





1 RedCap: Reduced capability NR as defined in Rel 17 (a.k.a. "NR Light")



Optimised for IoT market:

• 2G Matured but low price. Used mostly in

Africa, Europe, CIS. Data and voice

• LTE-M, NBIoT

New, power & cost optimised LTE standards Data (voice in the future), 2G fallback

• LTE Cat.1, LTE Cat.1-bis

Excellent coverage, balanced cost, Data and voice, 2G/3G fallback. Low power and low cost option: Cat.1-bis (one antenna)

• LTE Cat.4+ fast data rates within 4G

IOT-NTN/NR-NTN

Future, LEO and 3GPP based satellite communication. Currently available: GEO


5G – category eMBB introduced For high speed data streaming

Cellular modules



- SARA/LARA/LENA form factor across technologies
- · Power, size and cost optimised, reliable modules
 - No compromise in Tx power (23dBm), for coverage
 - Qualified for in-vehicle use (subset of AEC-Q104)
 - u-blox add-on features, for industrial use cases
 - WiFi sniffer built in
 - Diagnostic interface and modes
 - Polished utilization of new technologies (network timers, eDRX, RRC Release, etc.), in-depth support
 - Global and local approvals incl. ATEX
 - · Zero defect strategy, produced in line with ISO 9001
- u-blox chipset to control the features, life cycle (EOL) and supply chain
- Industry's broadest patent infringement protection, declared officially in T&C








Cellular modules




Dual modules: Cellular and GNSS

- Professional approach: separated u-blox chipsets
- Zero compromise
 - The best GNSS performance
 - Additional SAW/LNA for small GNSS antennas
 - Real parallel, independent LTE/GNSS operation
 - LTE at 23dBm Tx level, for coverage
 - Designed for ultra low power



Size optimised, rich in IoT features

- LEXI, 16x16mm form factor
- LTE-M / NBIoT+2G fallback
- Cat.1-bis
- Optimized power management to meet IoT requirements



Cellular and Satellite IoT modules



IoT connectivity without coverage issues LTE-M / NBIoT + Satellite IoT

Satellite communication backup ensures coverage

- Worldwide band coverage LTE-M / NBIoT
- 3GPP Release 17 NTN satellite communication compliant
- GEO, ORBCOMM's IsatDataPro (IDP)
- · LEO version to be introduced in line with networks
- Embedded u-bloxM10 GNSS positioning chipset
- Small and popular SARA form factor











SHORT RANGE



Short range modules

Stand-alone




Quick development, BT/Wi-Fi stacks built-in short range module

u-connectXpress option

- pre-flashed u-blox u-connectXpress software
 - common AT interface across different modules
 - stacks integrated by u-blox
 - additional features (GATT, SPS etc.)
- Fastest time to market, no software development and testing on customer side

Open CPU option (Wireless CPU)

- Application runs on the u-blox module, based on 3rd party SDK
- · Stacks integrated by the customer
- Thread, Matter, Zigbee, Low Energy Mesh support



MICR OIS

COMPETENCE & RELIABILITY



Short range modules


Host-based

For devices with host processor and open OS

Application runs on host processor 3rd party stack runs on host with open OS

Support (drivers) included in SDKs of some MCU suppliers

 MCUXpresso SDK from NXP simplifies integration of host-based modules with popular families of NXP processors (i.MX / iMX RT)








Short range modules

Certified, industrial Bluetooth modules

- BT 2.x, BLE 4x & 5.x, also with medical certificates
- · Combo with Wi-Fi available
- u-blox u-connectXpress software for easy application design and fast time to market
- Open CPU option for customer application
- Dual core module, one MCU dedicated for application
- · NINA form factor for easy multi-solution design
- Dedicated modules for small size (ANNA)
- High density footprints (NORA) for many I/Os
- Various antenna versions, simplified certificates
- AoA/AoD, Channel Sounding, Mesh, LE Audio, Long range available
- Thread, Matter, Zigbee support



MICR@DIS

COMPETENCE & RELIABILITY



Short range modules

Certified, industrial Wi-Fi & Combo modules

- Up to Wi-Fi 6/6E with WPA3 and Bluetooth 5.x
- Wi-Fi, Bluetooth LE and Classic combo available
- u-blox u-connectXpress software for easy application • design and fast time to market
- Open CPU option for customer application •
- Various antenna versions, simplified certificates ٠
- NINA form factor for easy multi-solution projects ٠
- Host-based modules for more control and flexibility, with ٠ SDIO or USB host interfaces
- Versions dedicated for automotive available
- M.2 WiFi/Bluetooth cards ٠










blox












ODY-W1

blox





SERVICES




Services



Location

- AssistNOW: data supporting GNSS receivers
- · CellLocate: position using cellular network and WiFi
- PointPerfect: PPP-RTK correction service for high precision navigation
- CloudLocate: cloud based location saving 90% of power



IoT Communication

- Complete connectivity solution for IoT applications
 - SIM, roaming, data transport solution (SDK/libraries)
 - Simple, visual Data Flow Manager
 - u-blox MQTT-SN over USSD or UDP built-in SDK
 - Optimised for low power and low bandwidth
- No hidden costs, pay per MQTT messages
- Seamless integration into Azure, AWS etc.
- Applicable for 2G, 3G, LTE and Wi-Fi devices





WIRELESS

Wireless

Antennas

Wide selection of products for all wireless applications

- GNSS antennas
 - L1 and multiband (L1, L2, L5, L6, L-band)
 - · Active and passive
 - External and internal
 - Patented helical antennas from Maxtena
- Cellular antennas, from 2G to 5G (New Radio)
- ISM antennas, for all popular bands
- Various mounting options: patch, magnetic, screw, wall mount, connector mount
- Customisation options





Accessories



RF Connectors

- All standard connectors: SMA, FME, MCX, MMCX...
- SMD, THT and Edge mount
- · Customisable materials and dimensions

SIM Holders









- Available with all standard connectors, also in bulkhead versions
- Various coax cable options
- Customisable length, stripping, tinning





RFID



Wireless RFID



Typical RFID transponders

13.56MHz and 125kHz, several chip options

- ISO cards, white or personalized
- Key fobs
- Wrist bands

Application specific, reliable solutions

Transponders, readers, antennas

- Animal Identification
- Keg & Container
- Service & Inventory
- Industry & Logistic
- Access & Security
- Individual Solutions









Opto & Passive





OPTOELECTRONICS, PASSIVE COMPONENTS




Wide selection of LED diodes for various applications

- 3C Electronics THT LEDs in various shapes, colours and sizes
- Horticulture dedicated mid and high power LEDs for plant growth stimulation with specific wavelengths
- UV & IR LEDs for special applications. Low, mid and high powers, in various form factors. Wide selection of UV wavelengths (270nm-420nm)
- Lighting Products mid and high power white LEDs in most popular packages (2016, 2835, 3030, 5630, 3535), available also in R, G, B colours
- COBs in standard sizes

Opto & Passive

LED Diodes







Opto & Passive

Displays and Photo-components



LCD, OLED and TFT displays

- · Wide selection of sizes and number of characters
- · Monocolour and full colour OLED and TFT displays
- · LCD with touch available

Optocouplers, photodiodes/transistors/ interrupters

- Over-under and coplanar types (for better CMR performance)
- DIP and SOP packages









Opto & Passive

Passive Components



Magnetic components

- Circuit protection, ESD, MOV, GDT
- Inductors: chip, bead, power in THT and SMD Transformers
- Charging coils

High quality polymer capacitors

- Provide longer lifetime, voltage stability in different temperatures
- ✓ Low voltage derating
- ✓ Very low bias dependency
- ✓ Capacitors for demanding applications







MG1*





CRYSTAL UNITS OSCILLATORS RTC MODULES





Crystal oscillators

- TCXO
- SPXO (kHz & MHz)
- Programmable Oscillators
- VCXO
- SAW Oscillators

Real time clocks

Crystal units

- kHz
- MHz
- SAW Resonators & Filters

X-tal based sensors

- Gyro
- Pressure
- Intertial Measurement Units (IMU)





Programmable Oscillators



Create your custom SPXO configuration in three easy steps:

- · Select a series of products
- Select the package size
- Define electrical parameters

Interactive on-line configurator available now!

Enjoy 24h shipment!



epson.microdis.net



High End Crystal Devices



Defence and instrumentation solutions

- MIL-PRF-3098 Crystal Resonators
- Low noise and low jitter SPXO
- High performance TCXO
- Low noise and low g-sensitivity OCXO
- Ultra low phase noise OCSO & Multipliers

Sub-systems and frequency synthesizers

Hi-reliability products for space

- ESA/SCC 3501, MIL-PRF-3098 qualified Crystal Units
- SPXO, TCXO, VCXO, OCXO oscillators in Hi-Rel Space and New Space spec.
- GPS disciplined oscillators

Ground station solutions





rakon

Electromechanical Components





ELECTROMECHANICAL



Cabling Solutions for Automotive & Home Appliances

Offering innovation in product and manufacturing technologies

Lear's product portfolio includes standard and custom terminal & connector systems, with capability ranging from signal to high power

Lear main portfolio

- Leaf spring connection systems
- Pin and socket round connection systems ٠
- Secure contact systems
- Flat fuse connection systems ٠





Cabling Solutions for Automotive & Home Appliances

Solderless terminals

- Wire to PCB connectors
- PCB to PCB connectors
- Wire to wire connectors •
- Solderless terminals and splices •
- Flat ribbon cables ٠
- Control cables •
- Stranded wires









Tabs & Receptacles

Chain terminals 2.8-4.8-6.3-7.7-9.3mm

Ring tongue and other solderless terminals and







Cabling Solutions for Industry, Defence & Medicine

Turning your connectivity challenges into success stories:

- Miniaturization & weight reduction
- · Data transmission: more and & faster
- Extreme sealing & hermeticity
- Complete solutions (connectors & cable assemblies)

Choose from more than 30,000 connector configurations





MICR OIS

COMPETENCE & RELIABILITY





Cabling Solutions for Industry, Defence & Medicine








Cabling Solutions for Industry, Defence & Medicine



Complete solutions, engineering support, rapid delivery

- Vertically integrated solutions (connectors, components, cables and assembly)
- Expertise in design, manufacture & test assemblies
- Fast prototyping & production
- High quality guaranteed in low & high volume projects





Cabling Solutions for Networks



Building and industrial cabling, data communication

- Office fibre optic
- Office RJ45
- Industry fibre optic
- Industry RJ45
- Ethernet M12
- Industry unequipped housings
- · Data centre solutions
- Assembled cables
- Accessories





Industrial Cables

Interconnecting wires

- Insulation: PVC, PE, TPE, Silicone, PP, PA, TPE, PUR, Glass filament, EVA, HFFR, mPPE etc.
- Temperature range: -200 to 1200°C
- Wide cross section range
- Halogen-free/flame resistant/lead free
- VDE, UL/CSA, MIL, ADR approvals
- DIN, HAR, multinorm standards
- Single, multiple, fine, flat wire
- Single, double, triple coloured
- Customised hybrid cables from 1km







Industrial Cables

Application in industry segments


- Engineering and automation
- White goods production
- Medical equipment
- Heating system
- Automotive
- Agriculture
- Lighting
- AV

and others



MICR OIS

COMPETENCE & RELIABILITY







PCB Level Connectors

- Board to Board & Cable to Board Connectors
- DC Power Jacks
- FFC Cables & Connectors
- Lighting Connectors
- Memory Card Connectors
- Modular Jacks
- Sim Card Connectors
- USB Connectors
- D-sub Connectors
- DIL, PGA, PLCC, transistor sockets
- IDC connectors & Flat ribbon cables











Plastic Enclosures

Performance engineered enclosures

- Universal & heavy duty enclosures
- Hand held cases
- Din-Rail boxes
- Desktop and instrument cases
- 19" enclosures & subracks

Customization capabilities

- Machining: milling, drilling, cutting and countersinking etc.
- Surface coating and RFI shielding
- Printing and engraving







Plastic Enclosures

Custom designed enclosures

- Tool FREE proces
- Rapid Lead Times
- No MOQs
- Industrial designers & CAD/CAM engineers at your disposal
- Make changes to the design quickly & easily after prototyping or after production
- Wide range of materials
- System integration







Aluminum Heatsinks

Thermal management

- Machined extruded heatsinks
- Heatsinks and fan coolers for processors
- Lamella heatsinks
- Cooling aggregates
- Thermal interface materials

Services

- Precision Machining
- Decorative versions







MICR DIS

Aluminum Cases

Cases

- Miniature aluminium cases
- Design cases
- Combination cases
- Tube cases
- · Desk consoles and shell cases
- 19" System cases, subracks, Plug-in boxes

Services

- Precision Machining
- Screen printing & Laser lettering
- Powder Coating





Terminal Blocks

Spring clamp terminal blocks

- Solderable & Pluggable
- Compression-mount
- For solid wires and multi-stranded wires
- Nominal cross section of 0.08 2.5mm •
- Centerline 2.5 10mm

Screw-type terminal blocks

- Solderable & Pluggable
- Single poles
- For solid wires and multi-stranded wires
- Centerline 3.5 10.16mm

IDC type terminal blocks

- Solderable
- Centerline 3.5 10.16mm •





We realize ideas



Embedded





EMBEDDED





Embedded Industrial Computers

MICR ODIS

Optimised for industry

- Operating time 24h/7days
- Cost-effective & high reliability
- Wide operating temperature
- Anti-vibration & shock
- Dust resistant
- Up to 15Y product availability
- Strong metal housing & compact size
- High quality components
- Wide input voltage range
- Custom I/O interfaces
- Low power consumption








Motherboards

- SBC 3.5", 4x4"
- Mini-ITX, Micro-ITX, ATX
- Mini-STX, Micro-STX
- Computer on Module
- Embedded Peripherals







Industrial Computers

Dedicated Box PC

Embedded

- Automation industry
- Digital Signage
- Machine Vision
- Robotics
- In-vehicle
- Railway





Embedded

Industrial Panel Computers



Panel PC

- All-In One with IPC integrated
- Sizes from 7" to 21.5"
- Multi-functional and powerful
- Durable & professional design
- Resistive / Capacitive Touch
- IP65 front bezel
- Waterproof IP67 chassis
- LED display
- VESA / Panel Mount





Embedded

Displays and projectors



Wide range of high quality monitors

- Desktop / Large format
- Protective glass
- Open-frame
- Interactive (with Touchscreen)
- Standard brightness and sun readable
- Video-wall
- Collaborative Solutions
- Projectors









TOOLS & HARNESSES



Hand Tools

Professional hand tools

- · For crimping of single terminals and cable ends
- With changeable heads or dies...
- ... also used for WDT machines
- For automatic crimping of end ferrules 0.08-10.0mm²
- For automatic stripping 0.03-16.0mm²
- For cutting of cables up to 400mm²





MICR OIS


COMPETENCE & RELIABILITY

59

Harness Making, Assembling & Tools Electric Machine

Professional electric machine UP15

- · Compact design and low weight
- For crimping of single terminals and cable ends
- With changeable heads or dies, used also with hand tools (CSV10, CS30 system)







Pneumatic & Hydraulic Presses

Professional presses

- With linear crimping (except UP14)
- For crimping of single terminals and cable ends up to 400 mm² (150 kN)
- With changeable heads or dies, used also with hand tools (CSV10, CS30 system)





MICR OIS

COMPETENCE & RELIABILITY

Electric Presses & Applicators

Professional solution for semi automatic crimping

- For crimping of all possible reeled terminals
- Applicators used for all standard presses as well as full automatic machines (Komax, Schleuniger, etc.)
- Based on electric presses only, with crimping force 1.5 - 20 Ton
- Additional built-on equipment like CFA or stripper crimper







MICR OIS

COMPETENCE & RELIABILITY

In-House harness production



Customized harnesses production

- Small and mid-sized projects
- Based on all typical connectors in the full and half automatic process
- CFA control
- Pull force measurement
- Tinning of wires (autom./manual)
- Soldering of wires to PCBs
- Assembling





THANK YOU FOR ATTENTION

WWW.MICRODIS.NET

We will be happy to support you





CLOSE TO YOU

COMPETENCE & RELIABILITY

Bulgaria@microdis.net Croatia@microdis.net Czech@microdis.net Estonia@microdis.net France@microdis.net Germany@microdis.net Hungary@microdis.net Latvia@microdis.net Lithuania@microdis.net Poland@microdis.net Romania@microdis.net Serbia@microdis.net Slovakia@microdis.net Slovenia@microdis.net Turkiye@microdis.net Ukraine@microdis.net

EUROPE@microdis.net

